
Bibliography

- [1] H. Abelson, “Lower Bounds on Information Transfer in Distributed Computations,” *19th Ann. IEEE Symp. Foundations of Computer Science* (1978), 151–158.
- [2] H. Abelson, “A Note on Time-Space Tradeoffs for Computing Continuous Functions,” *Inf. Proc. Letters* 8 (1979), 215–217.
- [3] H. Abelson and P. Andreae, “Information Transfer and Area-Time Tradeoffs for VLSI Multiplication,” *Comm. ACM* 23 (1980), 20–23.
- [4] K. Abrahamson, “Time-Space Tradeoffs for Branching Programs Contrasted with Those for Straight-Line Programs,” *Proc. 27th Ann. IEEE Symp. Foundations of Computer Science* (1986), 402–409.
- [5] K. Abrahamson, “A Time-Space Tradeoff for Boolean Matrix Multiplication,” *Proc. 31st Ann. IEEE Symp. Foundations of Computer Science* (1990), 412–419.
- [6] K. Abrahamson, “Time-Space Tradeoffs for Algebraic Problems on General Sequential Machines,” *J. Comp. Systems Sci.* 43 (1991), 269–289.
- [7] A. Aggarwal, B. Alpern, A. Chandra, and M. Snir, “A Model for Hierarchical Memory,” *Proc. 19th Ann. ACM Symp. Theory of Computing* (1987), 305–314.
- [8] A. Aggarwal, A. Chandra, and M. Snir, “Hierarchical Memory with Block Transfer,” *Proc. 28th Ann. IEEE Symp. Foundations of Computer Science* (1987), 204–216.
- [9] A. Aggarwal and J. S. Vitter, “The Input/Output Complexity of Sorting and Related Problems,” *Comm. ACM* 31 (1988), 1116–1127.
- [10] A. V. Aho, J. E. Hopcroft, and J. D. Ullman, *The Design and Analysis of Computer Algorithms*, Addison-Wesley, Reading, MA, 1974.
- [11] A. V. Aho, R. Sethi, and J. D. Ullman, *Compilers: Principles, Techniques and Tools*, Addison-Wesley, Reading, MA, 1986.
- [12] A. V. Aho, J. D. Ullman, and M. Yannakakis, “On Notions of Information Transfer in VLSI Circuits,” *15th Ann. ACM Symp. Theory of Computing* (1983), 133–139.
- [13] M. Ajtai, “ Σ_1^1 -Formulae on Finite Structures,” *Ann. Pure and Applied Logic* 24 (1983), 1–48.

- [14] M. Ajtai, J. Komlós, and E. Szemerédi, “Sorting in $c \log n$ Parallel Steps,” *Combinatorica* 3 (1983), 1–19.
- [15] S. B. Akers, “Binary Decision Diagrams,” *IEEE Trans. Computers* C-27 (1978), 509–516.
- [16] S. G. Akl, *Parallel Computation: Models and Methods*, Prentice-Hall, Inc., Upper Saddle River, NJ, 1997.
- [17] N. Alon and R. B. Bopanna, “The Monotone Circuit Complexity of Boolean Functions,” *Combinatorica* 7 (1987), 1–22.
- [18] B. Alpern, L. Carter, and E. Feig, “Uniform Memory Hierarchies,” *Proc. 31st Ann. IEEE Symp. Foundations of Computer Science* (1990), 600–608.
- [19] H. Alt, T. Hagerup, K. Mehlhorn, and F. P. Preparata, “Deterministic Simulation of Idealized Parallel Computers on More Realistic Ones,” *SIAM J. Computing* 16 (1987).
- [20] K. Amano and A. Maruoka, “Potential of the Approximation Method,” *Proc. 37th Ann. IEEE Symp. Foundations of Computer Science* (1996), 431–440.
- [21] G. M. Amdahl, “Validity of the Single Processor Approach to Achieving Large Scale Computing Capabilities,” *AFIPS JCC* 30 (1967), 483–485.
- [22] A. E. Andreev, “On a Method for Obtaining Lower Bounds for the Complexity of Individual Monotone Functions,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 282 (1985), 1033–1037.
- [23] A. E. Andreev, “A Family of Boolean Matrices,” *Vestnik Moskov. Univ. Mat.* 41 (1986), 97–100, (in Russian); English translation in *Moscow University Math. Bull.* 41 (2) (1986), 79–82.
- [24] A. E. Andreev, “On a Method for Obtaining More Than Quadratic Effective Lower Bounds for the Complexity of π -Schemes,” *Vestnik Moskov Univ. Math.* 42 (1987), 63–66.
- [25] S. Axler, *Linear Algebra Done Right*, Springer, Berlin, Heidelberg, and New York, 1996.
- [26] J. Backus, “Can Programming Be Liberated from the von Neumann Style? A Function Style and Its Algebra of Programs,” *Comm. ACM* 21 (1978), 613–641.
- [27] J. L. Balcázar, J. Díaz, and J. Gabarró, *Structural Complexity I*, Springer-Verlag, Berlin, Heidelberg, and New York, 1995.
- [28] V. Bar-Hillel, M. Perles, and E. Shamir, “On Formal Properties of Simple Phrase-Structure Grammars,” *Zeitschr. Phonetik, Sprachwissenschaft und Kommunikationsforschung* 14 (1961), 143–172.
- [29] K. E. Batcher, “Sorting Networks and Their Applications,” *Proc. AFIPS SJCC* 32 (1968), 307–314.
- [30] G. M. Baudet, “On the Area Required by VLSI Circuits,” in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 100–107.
- [31] G. M. Baudet, F. P. Preparata, and J. E. Vuillemin, “Area-Time Optimal VLSI Circuits for Convolution,” *IEEE Trans. on Computers* C-32 (July 1983), 684–688.
- [32] R. Beals, T. Nishino, and K. Tanaka, “More on the Complexity of Negation-Limited Circuits,” *Proc. 27th Ann. ACM Symp. Theory of Computing* (1995), 585–595.
- [33] P. W. Beame, S. A. Cook, and H. J. Hoover, “Log Depth Circuits for Division and Related Problems,” *SIAM J. Comput.* 15 (1986), 994–1003.
- [34] P. Beame, “A General Sequential Time-Space Tradeoff for Finding Unique Elements,” *Proc. 21st Ann. ACM Symp. Theory of Computing* (1989), 197–203.
- [35] L. Belady, “A Study of Replacement Algorithms for a Virtual-Store Computer,” *IBM Systems J.* 5 (1966), 78–101.

- [36] V. E. Beneš, “Permutation Groups, Complexes, and Rearrangeable Multistage Connecting Networks,” *Bell Syst. Techn. J.* 43 (1964), 1619–1640.
- [37] S. Berkowitz, “On Some Relationships Between Monotone and Non-monotone Circuit Complexity,” University of Toronto, Technical Report, 1982.
- [38] D. P. Bertsekas and J. N. Tsitsiklis, *Parallel and Distributed Computation: Numerical Methods*, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1989.
- [39] G. Bilardi, K. T. Herley, A. Pietracaprina, G. Pucci, and P. Spirakis, “BSP vs. LogP,” *Proc. 8th Ann. ACM Symp. Parallel Algorithms and Architectures* (1996), 25–32.
- [40] G. Bilardi, M. Pracchi, and F. P. Preparata, “A Critique of Network Speed in VLSI Models of Computation,” *IEEE J. Solid-State Circuits* SC-17 (1982), 696–702.
- [41] G. Bilardi and F. P. Preparata, “Area-Time Lower-Bound Techniques with Applications to Sorting,” *Algorithmica* 1 (1986), 65–91.
- [42] G. Bilardi and F. P. Preparata, “Size-Time Complexity of Boolean Networks for Prefix Computations,” *JACM* 36 (1989), 362–382.
- [43] G. Bilardi and F. P. Preparata, “Horizons of Parallel Computation,” *J. Parallel and Distributed Computing* 27 (1995), 172–182.
- [44] D. Bini and V. Y. Pan, *Polynomial and Matrix Computations*, Birkhauser, Boston, 1994.
- [45] G. E. Blelloch, *Vector Models for Data-Parallel Computing*, MIT Press, Cambridge, MA, 1990.
- [46] M. Blum, “A Machine-Independent Theory of the Complexity of Recursive Functions,” *JACM* 14 (1967), 322–336.
- [47] M. Blum, “On Effective Procedures for Speeding Up Algorithms,” *JACM* 18 (1971), 290–305.
- [48] N. Blum, “A Boolean Function Requiring $3n$ Network Size,” *Theoret. Comp. Sci.* 28 (1984), 337–345.
- [49] R. B. Bopanna, “Amplification of Probabilistic Boolean Functions,” in *Advances in Computer Research, Vol. 5: Randomness and Computation*, S. Micali, ed., JAI Press, Greenwich, CT, 1989, 27–45.
- [50] R. B. Bopanna and M. Sipser, “The Complexity of Finite Functions,” in *Handbook of Theoretical Computer Science, Vol. A*, J. van Leeuwen, ed., Elsevier, Amsterdam, NY, Oxford, Tokyo; MIT Press, Cambridge, MA, 1990, 757–804.
- [51] A. Borodin, “Computational Complexity and the Existence of Complexity Gaps,” *JACM* 19 (1972), 158–174.
- [52] A. Borodin, “On Relating Time and Space to Size and Depth,” *SIAM J. Comput.* 6 (1977), 733–744.
- [53] A. Borodin and S. Cook, “A Time-Space Tradeoff for Sorting on a General Sequential Model of Computation,” *SIAM J. Comput.* 11 (1982), 287–297.
- [54] A. Borodin, F. Fich, F. Meyer auf der Heide, E. Upfal, and A. Wigderson, “A Time-Space Tradeoff for Element Distinctness,” *SIAM J. Comput.* 16 (1987), 97–99.
- [55] A. Borodin, M. J. Fischer, D. G. Kirkpatrick, N. A. Lynch, and M. Tompa, “A Time-Space Tradeoff for Sorting and Related Non-Oblivious Computations,” *J. Comp. Systems Sci.* 22 (1981), 351–364.
- [56] A. Borodin and I. Munro, *The Computational Complexity of Algebraic and Numeric Problems*, American Elsevier, New York, 1975.
- [57] R. P. Brent, “On the Addition of Binary Numbers,” *IEEE Trans. Computers* 19 (1970), 758–759.
- [58] R. P. Brent, “The Parallel Evaluation of General Arithmetic Expressions,” *JACM* 21 (1974), 201–206.

- [59] R. P. Brent and H. T. Kung, "The Area-Time Complexity of Binary Multiplication," *JACM* 28 (July 1981), 521–534.
- [60] R. E. Bryant, "Symbolic Boolean Manipulation with Ordered Binary Decision Diagrams," *ACM Comput. Surveys* 24 (1992), 293–318.
- [61] D. A. Carlson, "Time-Space Tradeoffs for Back-to-Back FFT Algorithms," *IEEE Trans. Computers* C-32 (1983), 585–589.
- [62] D. A. Carlson, "Time-Space Efficient Algorithms for Computing Convolutions and Related Problems," *Info. and Computation* 75 (1987), 1–14.
- [63] D. A. Carlson, "Upper and Lower Bounds on Time-Space Tradeoffs for Computations with Embedded Fast Fourier Transforms," *SIAM J. Discr. Math.* 1 (1988), 22–37.
- [64] D. A. Carlson and J. E. Savage, "Extreme Time-Space Tradeoffs for Graphs with Small Space Requirements," *Inf. Proc. Letters* 14 (1982), 223–227.
- [65] D. A. Carlson and J. E. Savage, "Size-Space Tradeoffs for Oblivious Computations," *J. Comp. Systems Sci.* 2 (1983), 65–81.
- [66] A. K. Chandra, "Efficient Compilation of Linear Recursive Programs," *Proc. 14th Ann. IEEE Symp. Switching and Automata Theory* (1973), 16–25.
- [67] B. Chazelle and L. Monier, "A Model of Computation for VLSI with Related Complexity Results," *JACM* 32 (1985), 573–588.
- [68] N. Chomsky, "Three Models for the Description of Languages," *PGIT* 2 (1956), 113–124.
- [69] N. Chomsky, "On Certain Formal Properties of Grammars," *Info. and Control* 2 (1959), 137–167.
- [70] N. Chomsky, "Context-Free Grammar and Pushdown Storage," MIT Research Laboratory in Electronics, Quarterly Progress Report, Cambridge, MA, 1965.
- [71] N. Chomsky and G. A. Miller, "Finite-State Languages," *Info. and Control* 1 (1958), 91–112.
- [72] A. Church, "An Unsolvable Problem of Elementary Number Systems," *Amer. J. Math.* 58 (1936), 345–363.
- [73] A. Cobham, "The Recognition Problem for the Set of Perfect Squares," *IEEE 7th Ann. IEEE Symp. Switching Automata Theory* (1966), 78–87.
- [74] S. A. Cook, "The Complexity of Theorem-Proving Procedures," *Proc. 3rd Ann. ACM Symp. Theory of Computing* (1971), 151–158.
- [75] S. A. Cook, "An Observation on Time-Storage Trade Off," *Proc. 5th Ann. Symp. Theory of Computing* (1973), 29–33.
- [76] S. A. Cook, "Deterministic CFL's Are Accepted Simultaneously in Polynomial Time and Log Squared Space," *Proc. 11th Ann. ACM Symp. Theory of Computing* (1979), 338–345.
- [77] S. A. Cook and R. A. Reckhow, "Time-Bounded Random Access Machines," *J. Comp. Systems Sci.* 7 (1973), 354–475.
- [78] S. A. Cook and R. Sethi, "Storage Requirements for Deterministic Polynomial Finite Recognizable Languages," *J. Comp. Systems Sci.* 13 (1976), 25–37.
- [79] S. A. Cook, "An Observation on Time-Storage Trade Off," *J. Comp. Systems Sci.* 9 (1974), 308–316.
- [80] J. W. Cooley and J. W. Tukey, "An Algorithm for the Machine Calculation of Complex Fourier Series," *Math. Computation* 19 (1965), 297–301.
- [81] D. Coppersmith and S. Winograd, "Matrix Multiplication via Arithmetic Progressions," *J. Symbolic Computing* 9 (1990), 251–280.

- [82] L. Csanky, “Fast Parallel Matrix Inversion,” *SIAM J. Comput.* 5 (1976), 618–623.
- [83] D. E. Culler, R. M. Karp, D. Patterson, A. Sahay, E. E. Santos, K. E. Schauser, R. Subramonian, and T. von Eicken, “LogP: A Practical Model of Parallel Computation,” *Comm. ACM* 39 (1996), 78–85.
- [84] R. Cypher and G. Plaxton, “Deterministic Sorting in Nearly Logarithmic Time on the Hypercube and Related Computers,” *Proc. 22nd Ann. ACM Symp. Theory of Computing* (1990), 193–203.
- [85] E. Dekel, D. Nassimi, and S. Sahni, “Parallel Matrix and Graph Algorithms,” *SIAM J. Comput.* 10 (1981), 657–675.
- [86] P. E. Dunne, “Lower Bounds on the Monotone Network Complexity of Threshold Functions,” *Proc. 22nd Ann. Allerton Conf. Communication, Control and Computing* (1984), 911–920.
- [87] P. E. Dunne, “Techniques for the Analysis of Monotone Boolean Networks,” University of Warwick, Ph.D. Dissertation, Theory of Computation Report No. 69, Coventry, England, 1984.
- [88] P. E. Dunne, “The Complexity of Central Slice Functions,” *Theoret. Comp. Sci.* 44 (1986), 247–257.
- [89] P. E. Dunne, “On Monotone Simulations of Non-monotone Networks,” *Theoret. Comp. Sci.* 66 (1989), 15–25.
- [90] P. E. Dunne, “Relationships Between Monotone and Non-monotone Network Complexity,” in *Boolean Function Complexity*, M. S. Paterson, ed., London Math. Soc., Lecture Note Series 169, Cambridge University Press, Cambridge, 1992, 1–24.
- [91] P. E. Dunne, *The Complexity of Boolean Networks*, Academic Press, London, 1988.
- [92] P. Ďuriš and Z. Galil, “On the Power of Multiple Reads in a Chip,” *Info. and Control* 104 (1993), 277–287.
- [93] J. Earley, “An Efficient Context-Free Parsing Algorithm,” *Comm. ACM* 13 (1970), 94–102.
- [94] D. M. Eckstein, “Simultaneous Memory Access,” Computer Science Dept., Iowa State University, TR-79-6, Ames, IA, 1979.
- [95] J. Edmonds, “Paths, Trees, Flowers,” *Canad. J. Math.* 17 (1965), 449–467.
- [96] J. Evey, “Application of Pushdown Store Machines,” *Proc. AFIPS FJCC* (1963), 215–217.
- [97] D. K. Faddeev and V. N. Faddeeva, *Computational Methods in Linear Algebra*, W. H. Freeman, San Francisco, 1963.
- [98] C. N. Fischer and R. J. Le Blanc, Jr., *Crafting a Compiler*, Benjamin/Cummings, Menlo Park, CA, 1988.
- [99] M. J. Fischer, “The Complexity of Negation-Limited Networks – A Brief Survey,” in *Automata Theory and Formal Languages*, H. Brakhage, ed., Springer-Verlag, Lecture Notes in Computer Science, 33, Berlin, Heidelberg, and New York, 1975, 71–82.
- [100] M. J. Fischer, A. R. Meyer, and M. S. Paterson, “ $\Omega(n \log n)$ Lower Bounds on Length of Boolean Formulas,” *SIAM J. Comput.* 11 (1982), 416–427.
- [101] M. J. Flynn, “Very High-Speed Computing Systems,” *Proc. IEEE* 54 (1966), 1901–1909.
- [102] S. Fortune and J. Wyllie, “Parallelism in Random Access Machines,” *Proc. 10th Ann. ACM Symp. Theory of Computing* (1978), 114–118.
- [103] M. J. Foster and H. T. Kung, “The Design of Special-Purpose VLSI Chips,” *Computer* 13 (1980), 26–40.
- [104] J. B. Fraleigh and R. A. Beauregard, *Linear Algebra, Third Edition*, Addison-Wesley, Reading, MA, 1995.

- [105] J. Friedman, “Constructing $O(n \log n)$ Size Monotone Formulae for the k th Elementary Symmetric Polynomial of n Boolean Variables,” *SIAM J. Comput.* 15 (1986), 641–654.
- [106] M. Furst, J. Saxe, and M. Sipser, “Parity Circuits and the Polynomial Time Hierarchy,” *Math. Systems Theory* 17 (1984), 13–27.
- [107] Z. Galil, “Some Open Problems in the Theory of Computation as Questions About Two-Way Deterministic Pushdown Automaton Languages,” *Math. Systems Theory* 10 (1974), 211–218.
- [108] M. R. Garey and D. S. Johnson, *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W. H. Freeman, San Francisco, 1979.
- [109] S. B. Gaskov, “The Depth of Boolean Functions,” *Probl. Kibern.* 34 (1978 (in Russian)), 265–268.
- [110] J. von zur Gathen, “Parallel Linear Algebra,” in *Synthesis of Parallel Algorithms*, John H. Reif, ed., Morgan Kaufmann, San Mateo, CA, 1993.
- [111] A. M. Gentleman, “Complexity Results for Matrix Computations on Parallel Processors,” *JACM* 25 (1978), 112–115.
- [112] A. Gibbons and P. Spirakis, *Lectures on Parallel Computation*, Cambridge University Press, Cambridge, 1993.
- [113] E. N. Gilbert, “Lattice-Theoretic Properties of Frontal Switching Functions,” *J. Math. and Phys.* 33 (1954), 57–97.
- [114] J. R. Gilbert, T. Lengauer, and R. E. Tarjan, “The Pebbling Problem Is Complete in Polynomial Space,” *SIAM J. Comput.* 9 (1980), 513–524.
- [115] M. Goldmann and J. Håstad, “A Simple Lower Bound for Monotone Cliques Using a Communication Game,” *Inf. Proc. Letters* 41 (1992), 221–226.
- [116] L. M. Goldschlager, “The Monotone and Planar Circuit Value Problems,” *ACM SIGACT News* 9 (1977), 25–29.
- [117] L. M. Goldschlager, “A Unified Approach to Models of Synchronous Parallel Machines,” *JACM* 29 (1982), 1073–1086.
- [118] L. M. Goldschlager, “A Universal Interconnection Pattern for Parallel Computers,” *JACM* 30 (1983), 1073–1086.
- [119] R. Greenlaw, H. J. Hoover, and W. L. Ruzzo, *Limits to Parallel Computation*, Oxford University Press, Oxford, 1995.
- [120] D. Y. Grigoriev, “An Application of Separability and Independence Notions for Proving Lower Bounds of Circuit Complexity,” *Notes of Scientific Seminars, Steklov Math. Inst.* 60 (1976), 35–48.
- [121] L. J. Guibas, H. T. Kung, and C. D. Thompson, “Direct VLSI Implementation of Combinatorial Algorithms,” *Proc. Conf. Very Large Scale Integration: Architecture, Design, Fabrication* (1979).
- [122] L. J. Guibas and F. M. Liang, “Systolic Stacks, Queues, and Counters,” *Proc. Conf. on Advanced Research in VLSI* (1982), 155–164.
- [123] J. Håstad, “Almost Optimal Lower Bounds for Small Depth Circuits,” in *Advances in Computer Research, Vol. 5: Randomness and Computation*, S. Micali, ed., JAI Press, Greenwich, CT, 1989, 143–170.
- [124] A. Haken, “Counting Bottlenecks to Show Monotone $\mathbf{P} \neq \mathbf{NP}$,” *Proc. 36th Ann. IEEE Symp. Foundations of Computer Science* (1995), 36–40.
- [125] L. H. Harper and J. E. Savage, “On the Complexity of the Marriage Problem,” *Adv. Math* 9 (1972), 299–312.
- [126] J. Hartmanis, P. M. Lewis II, and R. E. Stearns, “Hierarchies of Memory-Limited Computations,” *Proc. 6th Ann. Symp. Switching Circuit Theory and Logic Design* (1965), 179–190.

- [127] J. Hartmanis and R. E. Stearns, "On the Computational Complexity of Algorithms," *Trans. AMS* 117 (1965), 285–306.
- [128] P. J. Hatcher and M. J. Quinn, *Data-Parallel Programming on MIMD Computers*, MIT Press, Cambridge, MA, 1991.
- [129] M. T. Heideman, D. H. Johnson, and C. S. Burrus, "Gauss and the History of the Fast Fourier Transform," *Arch. Hist. Exact Sci.* 34 (1985), 265–277.
- [130] C. A. Heintz, LRI, Univ. Paris-Sud, On the Area Required for Matrix Multiplication with VLSI Algorithms, Orsay, France, 1981.
- [131] J. Hennessy and D. Patterson, *Computer Architecture — A Quantitative Approach*, Morgan Kaufmann, San Mateo, CA, 1990.
- [132] W. D. Hillis and G. L. Steele, Jr., "Data-Parallel Algorithms," *Comm. ACM* 29 (1986), 1170–1183.
- [133] P. Hochschild, "Multiple Cuts, Input Repetition, and VLSI Complexity," *Info. Processing Letters* 24 (1987), 19–24.
- [134] R. W. Hockney and C. R. Jesshope, *Parallel Computers*, Adam Hilger, Bristol, 1981.
- [135] L. Hodes and E. Specker, "Length of Formulas and Elimination of Quantifiers I," in *Contributions to Mathematical Logic*, H. A. Schmidt, K. Schutte, and J.-J. Thiele, eds., North-Holland, Amsterdam, 1968, 175–188.
- [136] J. -W. Hong and H. T. Kung, "I/O Complexity: The Red-Blue Pebble Game," *Proc. 13th Ann. ACM Symp. Theory of Computing* (1981), 326–333.
- [137] H. J. Hoover, M. M. Klawe, and N. J. Pippenger, "Bounding Fan-Out in Logical Networks," *JACM* 31 (1984), 13–18.
- [138] J. E. Hopcroft, "An $n \log n$ Algorithm for Minimizing States in a Finite Automaton," in *Theory of Machines and Computations*, Z. Kohavi and A. Paz, eds., Academic Press, New York, 1971, 189–196.
- [139] J. E. Hopcroft, W. J. Paul, and L. G. Valiant, "On Time Versus Space," *JACM* 24 (1977), 332–337.
- [140] J. E. Hopcroft and J. D. Ullman, *Introduction to Automata Theory, Languages, and Computation*, Addison-Wesley, Reading, MA, 1979.
- [141] J. Hromkovič, "Nonlinear Lower Bounds on the Number of Processors of Circuits with Sublinear Separators," *Info. and Computation* 95 (1991), 117–128.
- [142] J. Hromkovič, "Branching Programs Provide Lower Bounds on the Areas of Multilective Deterministic and Nondeterministic VLSI-Circuits," *Info. Processing Letters* 95 (1992), 168–178.
- [143] D. A. Huffman, "The Synthesis of Sequential Switching Circuits," *J. Franklin Inst.* 257 (1954), 161–190, 275–303.
- [144] N. Immerman, "Nondeterministic Space is Closed under Complementation," *SIAM J. Comput.* 17 (1988), 935–938.
- [145] K. Iverson, *A Programming Language*, John Wiley & Sons, New York, 1962.
- [146] J. JáJá, "Time-Space Tradeoffs for Some Algebraic Problems," *JACM* 30 (1983), 657–667.
- [147] J. JáJá, *An Introduction to Parallel Algorithms*, Addison-Wesley, Reading, MA, 1992.
- [148] J. JáJá and V. K. P. Kumar, "Information Transfer in Distributed Computing with Applications to VLSI," *JACM* 31 (January 1984), 150–162.
- [149] D. Johnson, J. E. Savage, and L. R. Welch, "Combinational Complexity Measures as a Function of Fan-Out," Jet Propulsion Laboratory, Technical Report No. 32-1526, 1972.

- [150] D. S. Johnson, “A Catalog of Complexity Classes,” in *Handbook of Theoretical Computer Science*, Vol. A, J. van Leeuwen, ed., Elsevier, Amsterdam, NY, Oxford, Tokyo; MIT Press, Cambridge, MA, 1990, 68–161.
- [151] R. B. Johnson, “The Complexity of a VLSI Adder,” *Info. Processing Letters* 11 (1980), 92–93.
- [152] N. D. Jones and W. T. Laaser, “Complete Problems for Deterministic Polynomial Time,” *Theoret. Comp. Sci.* 3 (1976), 105–117.
- [153] B. H. H. Juurlink and H. A. G. Wijschoff, “A Quantitative Comparison of Parallel Computational Models,” *Proc. 8th Ann. ACM Symp. Parallel Algorithms and Architectures* (1996), 13–24.
- [154] A. Karatsuba and Y. Ofman, “Multiplication of Multidigit Numbers on Automata,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 145 (1962), 293–294, (in Russian); English translation in *Sov. Phys.–Dokl.* 19 (1963), 595–596.
- [155] M. Karchmer, *Communication Complexity: A New Approach to Circuit Depth*, MIT Press, Cambridge, MA and London, England, 1989.
- [156] M. Karchmer and A. Wigderson, “Monotone Circuits for Connectivity Require Superlogarithmic Depth,” *Proc. 20th Ann. ACM Symp. Theory of Computing* (1988), 539–550.
- [157] A. R. Karlin and E. Upfal, “Parallel Hashing – An Efficient Implementation of Shared Memory,” *Proc. 18th Ann. ACM Symp. Theory of Computing* (1986), 160–168.
- [158] R. Karp, “Reducibility Among Combinatorial Problems,” in *Complexity of Computer Computations*, R. E. Miller and J. Thatcher, eds., Plenum, New York, 1972, 85–104.
- [159] R. M. Karp and R. J. Lipton, “Some Connections Between Nonuniform and Uniform Complexity Classes,” *Proc. 12th Ann. ACM Symp. Theory of Computing* (April 28–30, 1980), 302–309.
- [160] R. M. Karp and V. Ramachandran, “A Survey of Parallel Algorithms for Shared-Memory Machines,” in *Handbook of Theoretical Computer Science*, Vol. A, J. van Leeuwen, ed., Elsevier, Amsterdam, NY, Oxford, Tokyo; MIT Press, Cambridge, MA, 1990, 870–941.
- [161] T. Kasami, “An Efficient Recognition and Syntax Algorithm for Context-Free Languages,” Air Force Cambridge Research Laboratory, Report AFCRL-65-758, Cambridge, MA, 1965.
- [162] Z. M. Kedem and A. Zorat, “Replication of Inputs May Save Computational Resources in VLSI,” in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 52–60.
- [163] Z. M. Kedem and A. Zorat, “On Relations Between Input and Communication/Computation,” *Proc. 22nd Ann. IEEE Symp. Foundations of Computer Science* (1981), 37–44.
- [164] L. G. Khachian, “A Polynomial Time Algorithm for Linear Programming,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 244 (1979), 1093–1096.
- [165] L. S. Khasin, “Complexity Bounds for the Realization of Monotone Symmetrical Functions by Means of Formulas in the Basis +, ·, −,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 189 (1970), 752–755, (in Russian); English translation in *Soviet Phys. Dokl.* 14(12) (1970), 1149–1151.
- [166] M. M. Klawe, “A Tight Bound for Black and White Pebbles on the Pyramid,” *Proc. 24th Ann. IEEE Symp. Foundations of Computer Science* (1983), 410–419.
- [167] S. C. Kleene, “General Recursive Functions of Natural Numbers,” *Math. Annalen* 112 (1936), 727–742.
- [168] M. Kloss, “Estimates of the Complexity of Solutions of Systems of Linear Equations,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 171 (1966), 781–783, (in Russian); English translation in *Soviet Math. Dokl.* 7 (6) (1966), 1537–1540.

- [169] D. E. Knuth, *The Art of Computer Programming – Sorting and Searching*, Vol. 3, Addison-Wesley, Reading, MA, 1973.
- [170] D. E. Knuth, “Big Omicron and Big Omega and Big Theta,” *ACM SIGACT News* 8 (1976), 18–24.
- [171] E. Koutsoupias, “Improvements on Khrapchenko’s Theorem,” *Theoret. Comp. Sci.* 116 (1993), 399–403.
- [172] V. M. Krapchenko, “Asymptotic Estimation of Addition Time of a Parallel Adder,” *Probl. Kibern.* 19 (1967), 107–122, (in Russian); English translation in *Syst. Theory Res.* 19 (1970), 105–122.
- [173] V. M. Krapchenko, “A Method of Determining Lower Bounds for the Complexity of Π -Schemes,” *Aametki* 10 (1971), 83–92, (in Russian); English translation in *Math. Notes* 10(1) (1971), 474–479.
- [174] V. M. Krapchenko, “The Complexity of Symmetrical Functions by Formulae,” *Mat. Zametki* 11 (1972), 109–120, (in Russian); English translation in *Math. Notes* 11(1) (1972), 70–76.
- [175] R. E. Krichevskii, “Complexity of Contact Circuits Realizing a Function of Logical Algebra,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 151 (1963), 803–806, (in Russian); English translation in *Soviet Phys. Dokl.* 8(8) (1964), 770–772.
- [176] H. T. Kung, “Let’s Design Algorithms for VLSI Systems,” *Proc. Caltech Conf. VLSI: Architecture, Design, Fabrication* (1979), 65–90.
- [177] H. T. Kung, “Memory Requirements for Balanced Computer Architectures,” *J. Complexity* 1 (1985), 147–157.
- [178] H. T. Kung and P. L. Lehman, “Systolic (VLSI) Arrays for Relational Database Operations,” *Proc. ACM SIGMOD Int. Symp. Management of Data* (1980), 105–116.
- [179] H. T. Kung and C. E. Leiserson, “Systolic Arrays (for VLSI),” in *Sparse Matrix Proceedings 1978*, I. S. Duff and G. W. Stewart, eds., SIAM, 1979, 256–282.
- [180] H. T. Kung and C. E. Leiserson, “Algorithms for VLSI Processor Arrays,” in *Introduction to VLSI Systems*, C. Mead and L. Conway, eds., Addison-Wesley, Reading, MA, 1980, 271–292.
- [181] H. T. Kung, L. M. Ruane, and D. W. L. Yen, “A Two-Level Pipelined Systolic Array for Convolution,” in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 255–264.
- [182] H. T. Kung and S. W. Song, “A Systolic 2-D Convolution Chip,” in *Multicomputers and Image Processing: Algorithms and Programs*, K. Preston, Jr. and L. Uhr, eds., Academic Press, New York, 1982, 373–384.
- [183] S. Y. Kuroda, “Classes of Languages and Linear-Bounded Automata,” *Info. and Control* 7 (1964), 207–223.
- [184] R. E. Ladner, “The Circuit Value Problem Is Log-Space Complete for \mathbf{P} ,” *ACM SIGACT News* 7 (1975), 18–20.
- [185] R. E. Ladner and M. J. Fischer, “Parallel Prefix Computation,” *JACM* 27 (1980), 831–838.
- [186] E. A. Lamagna, “The Complexity of Monotone Networks for Certain Bilinear Forms,” *IEEE Trans. Computers* 28 (1979), 773–782.
- [187] E. A. Lamagna and J. E. Savage, “Combinational Complexity of Some Monotone Functions,” *Proc. 15th Ann. IEEE Symp. Switching and Automata Theory* (1974), 140–144.
- [188] P. S. Landweber, “Three Theorems on Phrase-Structure Grammars of Type 1,” *Info. and Control* 6 (1963), 131–136.

- [189] P. L. Lehman, "A Systolic (VLSI) Array for Processing Simple Relational Queries," in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 285–295.
- [190] F. T. Leighton, "New Lower Bound Techniques for VLSI," *Math. Systems Theory* 17 (1984), 47–70.
- [191] F. T. Leighton, *Introduction to Parallel Algorithms and Architectures: Arrays, Trees, Hypercubes*, Morgan Kaufman, San Mateo, CA, 1992.
- [192] T. Lengauer, *Combinatorial Algorithms for Integrated Circuit Layout*, John Wiley & Sons, Chichester, England, 1990.
- [193] T. Lengauer, "VLSI Theory," in *Handbook of Theoretical Computer Science, Vol. A*, J. van Leeuwen, ed., Elsevier, Amsterdam, NY, Oxford, Tokyo; MIT Press, Cambridge, MA, 1990, 836–868.
- [194] T. Lengauer and K. Mehlhorn, "Four Results on the Complexity of VLSI Computations," in *Advances in Computing Research*, F. P. Preparata, ed. #2, JAI Press, Greenwich, CT, 1984, 1–22.
- [195] T. Lengauer and R. E. Tarjan, "The Space Complexity of Pebble Games on Trees," *Inf. Proc. Letters* 10 (1980), 184–188.
- [196] T. Lengauer and R. E. Tarjan, "Asymptotically Tight Bounds on Time-Space Tradeoffs in a Pebble Game," *JACM* 29 (1982), 1087–1130.
- [197] S. J. Leon, *Linear Algebra with Applications*, Prentice-Hall, Englewood Cliffs, NJ, 1997 .
- [198] L. A. Levin, "Universal Sorting Problems," *Probl. Peredaci Informacii* 9 (1973), 115–116, (in Russian); English translation in *Problems of Information Transmission* 9 (1973) 265–266.
- [199] H. R. Lewis and C. H. Papadimitriou, *Elements of the Theory of Computation*, Prentice-Hall, Englewood Cliffs, NJ, 1981.
- [200] A. Lingas, "A PSPACE-Complete Problem Related to a Pebble Game," in *Automata Languages and Programming*, G. Aussiello and C. Boehm, eds., Springer-Verlag, Lecture Notes in Computer Science, 62 , Berlin, Heidelberg, and New York, 1978, 300–321.
- [201] R. J. Lipton and R. Sedgewick, "Lower Bounds for VLSI," *Proc. 13th Ann. ACM Symp. Theory of Computing* (1981), 300–307.
- [202] R. J. Lipton and R. E. Tarjan, "A Separator Theorem for Planar Graphs," *SIAM J. Appl. Math.* 36 (1979), 177–189.
- [203] R. J. Lipton and R. E. Tarjan, "Applications of a Planar Separator Theorem," *SIAM J. Comput.* 9 (1980), 615–627.
- [204] M. C. Loui, "Minimum Register Allocation Is Complete in Polynomial Space," Lab. Comp. Sci., MIT, Technical Memorandum TM-128, Cambridge, MA, 1979.
- [205] M. C. Loui, "The Space Complexity of Two Pebble Games on Trees," Lab. Comp. Sci., MIT, Technical Memorandum TM-133, Cambridge, MA, 1979.
- [206] W. K. Luk and J. E. Vuillemin, "Recursive Implementation of Optimal-Time VLSI Integer Multiplier," in *Advances in Computing Research*, 2, F. P. Preparata, ed., JAI Press, Greenwich, CT, 1984, 67–93.
- [207] O. B. Luponov, "A Method of Circuit Synthesis," *Izv. V.U.Z. Radiofiz.* 1 (1958), 120–140.
- [208] W. F. McColl, "Planar Circuits Have Short Specifications," in *Proc. Symp. Theoretical Aspects of Computer Science*, K. Mehlhorn, ed. #2, Springer-Verlag, Lecture Notes in Computer Science, 182, 1985, 231–242.
- [209] W. F. McColl and M. S. Paterson, "The Planar Realization of Boolean Functions," *Info. Processing Letters* 24 (1987), 165–170.

- [210] W. S. McCulloch and E. Pitts, "A Logical Calculus of the Ideas Immanent in Nervous Activity," *Bull. Math. Biophysics* 5 (1943), 115–133.
- [211] R. McNaughton and H. Yamada, "Regular Expressions and State Graphs for Automata," *IEEE Trans. Electronic Computers* EC-9 (1960), 39–47.
- [212] C. Mead and L. Conway, *Introduction to VLSI Systems*, Addison-Wesley, Reading, MA, 1980.
- [213] C. A. Mead and M. Rem, "Cost and Performance of VLSI Computing Structures," *IEEE J. Solid State Circuits* SC-14 (1979), 455–462.
- [214] G. H. Mealy, "A Method for Synthesizing Sequential Circuits," *Bell Syst. Techn. J.* 34 (1955), 1045–1079.
- [215] K. Mehlhorn, "Some Remarks on Boolean Sums," *Acta Informatica* 12 (1979), 371–375.
- [216] K. Mehlhorn, "AT² Optimal VLSI Integer Division and Integer Square Rooting," *Integration* 2 (1984), 163–167.
- [217] K. Mehlhorn and Z. Galil, "Monotone Switching Circuits and Boolean Matrix Product," *Computing* 16 (1976), 99–111.
- [218] K. Mehlhorn and F. P. Preparata, "Area-Time Optimal Division for $T = O((\log n)^{1+\epsilon})$," *Info. and Computation* 72 (1987), 270–282.
- [219] K. Mehlhorn and E. M. Schmidt, "Las Vegas Is Better than Determinism in VLSI and Distributive Computing," *Proc. 14th Ann. ACM Symp. Theory of Computing* (1982), 330–337.
- [220] K. Mehlhorn and U. Vishkin, "Randomized and Deterministic Simulations of PRAMs by Parallel Machines with Restricted Granularity of Parallel Memories," *Acta Informatica* 21 (1984), 339–374.
- [221] F. Meyer auf der Heide, "A Comparison Between Two Variations of a Pebble Game on Graphs," *Theoret. Comp. Sci.* 13 (1981), 315–322.
- [222] E. F. Moore, "Gedanken-Experiments on Sequential Machines," in *Automata Studies (Annals of Mathematics Studies, No. 34)*, Princeton University Press, Princeton, NJ, 1956, 129–153.
- [223] D. E. Muller, "Complexity in Electronic Switching Circuits," *IRE Trans. Comput. EC-5* (1956), 15–19.
- [224] D. E. Muller and F. P. Preparata, "Minimal Delay Networks for Sorting and Switching," *Proc. 6th Ann. Princeton Conf. Information Sciences and Systems* (1972), 138–139.
- [225] D. E. Muller and F. P. Preparata, "Bounds to Complexities of Networks for Sorting and Switching," *JACM* 22 (1975), 195–201.
- [226] J. Myhill, "Finite Automata and the Representation of Events," Wright Patterson AFB, Technical Note WADD 57-624, Dayton, OH, 1957.
- [227] J. Myhill, "Linear Bounded Automata," Wright-Patterson Air Force Base, Ohio, WADD Tech. Note, 1960.
- [228] A. Nerode, "Linear Automaton Transformations," *Proc. Amer. Math. Soc.* 9 (1958), 541–544.
- [229] E. I. Nečiporuk, "A Boolean Function," *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 169 (1966), 765–766, (in Russian); English translation in *Soviet Math. Dokl.* 7 (4) (1966), 999–1000.
- [230] E. I. Nečiporuk, "A Boolean Matrix," *Probl. Kibern.* 21 (1969), 237–240, (in Russian); English translation in *Systems Theory Research* 21(4) (1971), 236–239.
- [231] M. H. Nodine and J. S. Vitter, "Large-Scale Sorting in Parallel Memories (Extended Abstract)," *Proc. 3rd Ann. Symp. Parallel Algorithms and Architectures* (1991), 29–39.
- [232] A. G. Oettinger, "Automatic Syntactic Analysis and the Pushdown Store," *Proc. Symp. Applied Math.* 12 (1961).

- [233] Y. Ofman, “On the Algorithmic Complexity of Discrete Functions,” *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 145 (1962), 48–51, (in Russian); English translation in *Soviet Math. Dokl.* 7 (7) (1963), 589–591.
- [234] C. H. Papadimitriou, *Computational Complexity*, Addison-Wesley, Reading, MA, 1994.
- [235] C. H. Papadimitriou and M. Sipser, “Communication Complexity,” *J. Comp. System Sciences* 28 (1984), 260–269.
- [236] M. S. Paterson, “An Introduction to Boolean Function Complexity,” *Astérisque* 38-39 (1976), 183–201.
- [237] M. S. Paterson, “Complexity of Monotone Networks for Boolean Matrix Product,” *Theoret. Comp. Sci.* 1 (1979), 13–20.
- [238] M. S. Paterson and C. E. Hewitt, “Comparative Schematology,” in *Proc. Project MAC Conf. Concurrent Systems and Parallel Computation*, Woods Hole, MA, 1970, 119–127.
- [239] M. S. Paterson and L. G. Valiant, “Circuit Size Is Nonlinear in Depth,” *Theoret. Comp. Sci.* 2 (1976), 397–400.
- [240] M. S. Paterson, “New Bounds on Formula Size,” in *Proc. 3rd GI Conf. Theoret. Computer Science*, Springer-Verlag, Lecture Notes in Computer Science, 48, Berlin, Heidelberg, and New York, 1977, 17–26.
- [241] M. S. Paterson, N. Pippenger, and U. Zwick, “Faster Circuits and Shorter Formulae for Multiple Addition, Multiplication and Symmetric Boolean Functions,” *Proc. 31st Ann. IEEE Symp. Foundations of Computer Science* (1990), 642–650.
- [242] M. S. Paterson, N. Pippenger, and U. Zwick, “Optimal Carry-Save Networks,” in *Boolean Function Complexity*, M. S. Paterson, ed., Cambridge University Press, London Mathematical Society Lecture Note Series, 169, Cambridge, 1992, 174–201.
- [243] W. Paul, “A $2.5N$ Lower Bound for the Combinational Complexity of Boolean Functions,” *SIAM J. Comput.* 6 (1977), 427–443.
- [244] W. J. Paul and R. E. Tarjan, “Time-Space Trade-Offs in a Pebble Game,” *Acta Informatica* 10 (1978), 111–115.
- [245] W. J. Paul, R. E. Tarjan, and J. R. Celoni, “Space Bounds for a Game on Graphs,” *Math. Systems Theory* 10 (1977), 239–251.
- [246] G. L. Peterson, “An Upper Bound on the Size of Formulae for Symmetric Boolean Functions,” Dept. Computer Science, Univ. Washington, Tech. Report 78-03-01, 1978.
- [247] N. Pippenger, “Short Formulae for Symmetric Functions,” IBM T. J. Watson Research Center, Research Report RC-5143, Yorktown Heights, NY, 1974.
- [248] N. Pippenger, “On Simultaneous Resource Bounds,” *JACM* 26 (1979), 361–381.
- [249] N. Pippenger, “On Another Boolean Matrix,” *Theoret. Comp. Scii.* 11 (1980), 49–56.
- [250] N. Pippenger, “Pebbling,” *Proc. 5th Ann. IBM Symp. Math. Foundations of Computer Science* (1980).
- [251] N. Pippenger and M. J. Fischer, “Relations Among Complexity Measures,” *JACM* 26 (1979), 361–381.
- [252] N. Pippenger and L. G. Valiant, “Shifting Graphs and Their Properties,” *JACM* 23 (1976), 423–432.
- [253] N. Pippenger, “A Time-Space Trade-off,” *JACM* 25 (1978), 509–512.
- [254] E. L. Post, “Finite Combinatory Processes,” *J. Symbolic Logic* 1 (1936), 103–105.

- [255] V. R. Pratt, "The Power of Negative Thinking in Multiplying Boolean Matrices," *SIAM J. Comput.* 4 (1974), 326–330.
- [256] V. R. Pratt, "Every Prime Has a Succinct Certificate," *SIAM J. Comput.* 4 (1975), 214–220.
- [257] F. P. Preparata, "A Mesh-Connected Area-Time Optimal VLSI Multiplier of Large Integers," *IEEE Trans. Computers* C-32 (1983), 194–198.
- [258] F. P. Preparata and D. E. Muller, "Efficient Parallel Evaluation of Boolean Expressions," *IEEE Trans. Computers* C-25 (1976), 548–549.
- [259] F. P. Preparata and J. E. Vuillemin, "Area-Time Optimal VLSI Networks for Multiplying Matrices," *Info Processing Letters* 11 (1980), 77–80.
- [260] F. P. Preparata and J. E. Vuillemin, "Optimal Integrated-Circuit Implementation of Triangular Matrix Inversion," *Parallel Processing* (1980), 211–216.
- [261] F. P. Preparata and J. E. Vuillemin, "The Cube-Connected Cycles: A Versatile Network for Parallel Computation," *Comm. ACM* 24 (1981), 300–309.
- [262] F. P. Preparata, "Optimal Three-Dimensional VLSI Layouts," *Math. Systems Theory* 16 (1983), 1–8.
- [263] P. Pudlák, "Bounds for Hodes-Specker Theorem," in *Logic and Machines: Decision Problems and Complexity*, Springer-Verlag, Lecture Notes in Computer Science, 171 , Berlin, Heidelberg, and New York, 1984, 421–445.
- [264] M. J. Quinn, *Parallel Computing: Theory and Practice*, McGraw-Hill, New York, 1994.
- [265] M. O. Rabin and D. Scott, "Finite Automata and Their Decision Problems," *IBM J. Res. Devel.* 3 (1959), 114–125.
- [266] A. Ranade, "How to Emulate Shared Memory," *Proc. 28th Ann. IEEE Symp. Foundations of Computer Science* (1987), 185–194.
- [267] B. Randell, ed., *The Origins of Digital Computers: Selected Papers*, Springer-Verlag, Berlin, Heidelberg, and New York, 1982.
- [268] R. Raz and A. Wigderson, "Monotone Circuits for Matching Require Linear Depth," *Proc. 22nd Ann. ACM Symp. Theory of Computing* (1990), 287–292.
- [269] A. A. Razborov, "Lower Bounds on the Monotone Complexity of Some Boolean Functions," *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 281 (1985), 798–801, (in Russian); English translation in *Soviet Math. Dokl.* 31 (1985), 354–357.
- [270] A. A. Razborov, "A Lower Bound on the Monotone Network Complexity of the Logical Permanent," *Mat. Zametki* 37 (1985), 887–900, (in Russian); English translation in *Math. Notes* 37 (6) (1985), 485–493.
- [271] A. A. Razborov, "Lower Bounds on the Size of Bounded Depth Networks over a Complete Basis with Logical Addition," *Mat. Zametki* 41 (1987), 598–607, (in Russian); English translation in *Math. Notes* 41 (4) (1987), 333–338.
- [272] A. A. Razborov, "On the Method of Approximations," *Proc. 21st Ann. ACM Symp. Theory of Computing* (1989), 167–176.
- [273] N. P. Red'kin, "Proof of Minimality of Circuits Consisting of Functional Elements," *Probl. Kibern.* 23 (1973), 83–102, (in Russian); English translation in: *Syst. Theory Research* 23 (1973) 102–107.
- [274] N. P. Red'kin, "On the Realization of Monotone Boolean Functions by Contact Circuits," *Probl. Kibern.* 35 (1979), 87–110.
- [275] N. P. Red'kin, "Minimal Realization of a Binary Adder," *Probl. Kibern.* 38 (1981), 181–216, 272.
- [276] J. H. Reif, ed., *Synthesis of Parallel Algorithms*, Morgan Kaufmann, San Mateo, CA, 1993.

- [277] J. H. Reif and S. R. Tate, "Optimal Size Integer Division Circuits," *Proc. 21st Ann. ACM Symp. Theory of Computing* (1989), 264–273.
- [278] R. Reischuk, "Improved Bounds on the Problem of Time-Space Trade-off in the Pebble Game," *JACM* 27 (1980), 839–849.
- [279] H. G. Rice, "Classes of Recursively Enumerable Sets and Their Decision Problems," *Trans. AMS* 74 (1953), 358–366.
- [280] J. Riordan and C. E. Shannon, "The Number of Two-Terminal Series-Parallel Networks," *J. Math. Phys.* 21 (1942), 83–93.
- [281] A. L. Rosenberg, "Three-Dimensional Integrated Circuitry," in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 69–80.
- [282] A. L. Rosenberg, "Three-Dimensional VLSI: A Case Study," *JACM* 30 (1983), 397–416.
- [283] C. Savage, "A Systolic Design for Connectivity Problems," *IEEE Trans. Computers* C-33 (1984), 99–104.
- [284] J. E. Savage, "The Complexity of Decoders – Part II: Computational Work and Decoding Time," *IEEE Trans. Inf. Theory* IT-17 (1971), 77–84.
- [285] J. E. Savage, "Computational Work and Time on Finite Machines," *JACM* 19 (1972), 660–674.
- [286] J. E. Savage, *The Complexity of Computing*, John Wiley & Sons, New York, 1976.
- [287] J. E. Savage, "Planar Circuit Complexity and the Performance of VLSI Algorithms," in *VLSI Systems and Computations*, H. T. Kung, B. Sproull, and G. Steele, eds., Computer Science Press, Rockville, MD, 1981, 61–68.
- [288] J. E. Savage, "Area-Time Tradeoffs for Matrix Multiplication and Related Problems in VLSI Models," *J. Comp. Systems Sci.* (1981), 230–242.
- [289] J. E. Savage, "Multilective Planar Circuit Size," *Proc. 20th Ann. Allerton Conf. on Communication, Control, and Computing* (1982), 665–671.
- [290] J. E. Savage, "The Performance of Multilective VLSI Algorithms," *J. Comp. Systems Sci.* 29 (1984), 243–273.
- [291] J. E. Savage, "Space-Time Tradeoffs for Banded Matrix Problems," *JACM* 31 (1984), 422–437.
- [292] J. E. Savage and S. Swamy, "Space-Time Tradeoffs on the FFT Algorithm," *IEEE Trans. Info. Th.* IT-24 (1978), 563–568.
- [293] J. E. Savage and S. Swamy, "Space-Time Tradeoffs for Oblivious Integer Multiplication," in *Automata, Languages and Programming*, H. A. Maurer, ed., Springer-Verlag, Lecture Notes in Computer Science, 71, Berlin, Heidelberg, and New York, 1979, 498–504.
- [294] J. E. Savage, "Extending the Hong-Kung Model to Memory Hierarchies," in *Computing and Combinatorics*, Ding-Zhu Du and Ming Li, eds., Springer-Verlag, Lecture Notes in Computer Science, 959 , 1995, 270–281.
- [295] J. E. Savage and J. S. Vitter, "Parallelism in Space-Time Tradeoffs," in *VLSI: Algorithms and Architectures*, P. Bertolazzi and F. Luccio, eds., Elsevier Science Publishers (North Holland), 1985, 49–58.
- [296] W. J. Savitch, "Relationships Between Nondeterministic and Deterministic Tape Complexities," *J. Comp. Systems Sci.* 4 (1970), 177–192.
- [297] W. J. Savitch and M. J. Stimson, "Time-Bounded Random Access Machines with Parallel Processing," *JACM* 26 (1979), 103–118.
- [298] T. J. Schaefer, "The Complexity of Satisfiability Problems," *Proc. 10th Ann. ACM Symp. Theory of Computing* (1978), 216–226.

- [299] C. P. Schnorr, "Zwei Lineare untere Schranken fur die Komplexitat Boolescher Funktionen," *Computing* 13 (1974), 155–171.
- [300] C. P. Schnorr, "The Network Complexity and the Turing Machine Complexity of Finite Functions," *Acta Informatica* 7 (1976), 95–107.
- [301] C. P. Schnorr, "A $3n$ -Lower Bound on the Network Complexity of Boolean Functions," *Theoret. Comp. Sci.* 10 (1980), 83–92.
- [302] A. Schönhage and V. Strassen, "Schnelle Multiplikation grosser Zahlen," *Computing* 7 (1971), 281–292.
- [303] U. Schürfeld, "New Lower Bounds on the Formula Size of Boolean Functions," *Acta Informatica* 19 (1983), 183–194.
- [304] M. P. Schützenberger, "On Context-Free Languages and Pushdown Automata," *Info. and Control* 6 (1963), 246–264.
- [305] C. E. Shannon, "A Symbolic Analysis of Relay and Switching Circuits," *Trans. AIEE* 57 (1938), 713–723.
- [306] C. E. Shannon, "The Synthesis of Two-Terminal Switching Circuits," *Bell Syst. Techn. J.* 28 (1949), 59–98.
- [307] J. C. Shepherdson and H. E. Sturgis, "Computability of Recursive Functions," *JACM* 10 (1963), 217–255.
- [308] A. Siegel, "Tight Area Bounds and Provably Good AT^2 Bounds for Sorting Circuits," New York University, Report No. 122, New York, 1985.
- [309] S. Skyum and L. G. Valiant, "A Complexity Theory Based on Boolean Algebra," *JACM* 32 (1985), 484–502.
- [310] D. D. Sleator and R. E. Tarjan, "Amortized Efficiency of List Update and Paging Rules," *Comm. ACM* 28 (1985), 202–208.
- [311] C. H. Smith, *A Recursive Introduction to the Theory of Computation*, Springer-Verlag, New York, 1994.
- [312] R. Smolensky, "Algebraic Methods in the Theory of Lower Bounds for Boolean Circuit Complexity," *Proc. 19th Ann. ACM Symp. Theory of Computing* (1987), 77–82.
- [313] P. M. Spira, "On Time-Hardware Complexity Tradeoffs for Boolean Functions," *Proc. 4th Hawaii Int. Symp. System Science* (1971), 525–527.
- [314] M. Spivak, *Calculus*, W. A. Benjamin, San Francisco, 1976.
- [315] L. J. Stockmeyer and A. R. Meyer, "Word Problems Requiring Exponential Time," *Proc. 5th Ann. ACM Symp. Theory of Computing* (1973), 1–9.
- [316] L. Stockmeyer and U. Vishkin, "Simulation of Parallel Random Access Machines by Circuits," *SIAM J. Comput.* 13 (1984), 409–422.
- [317] H. S. Stone, "Parallel Processing with the Perfect Shuffle," *IEEE Trans. Computers* C-20 (1971), 153–161.
- [318] V. Strassen, "Gaussian Elimination Is Not Optimal," *Numer. Math.* 13 (1969), 354–356.
- [319] B. A. Subbotovskaya, "Realizations of Linear Functions by Formulas Using $+, \cdot, -, /$," *Dokl. Akad. Nauk SSSR (Soviet Math. Dokl.)* 136 (1961), 553–555, (in Russian); English translation in *Soviet Math. Dokl.* 2 (1961), 110–112.
- [320] S. Swamy and J. E. Savage, "Space-Time Tradeoffs for Linear Recursion," *Math. Systems Theory* 16 (1983), 9–27.

- [321] R. Szelepscényi, “The Method of Forcing for Nondeterministic Automata,” *Bull. EATCS* 33 (1987), 96–100.
- [322] K. Tanaka and T. Nishino, “On the Complexity of Negation-Limited Boolean Networks (Preliminary Version),” *Proc. 26th Ann. ACM Symp. Theory of Computing* (1994), 38–47.
- [323] É. Tardos, “The Gap Between Monotone and Non-Monotone Circuit Complexity is Exponential,” *Combinatorica* 8 (1988), 141–142.
- [324] S. R. Tate, “Newton Iteration and Integer Division,” in *Synthesis of Parallel Algorithms*, John H. Reif, ed., Morgan Kaufmann, San Mateo, CA, 1993.
- [325] C. D. Thompson, “Area-Time Complexity for VLSI,” *Proc. 11th Ann. ACM Symp. Theory of Computing* (1979), 81–88.
- [326] C. D. Thompson, “A Complexity Theory for VLSI,” Dept. Computer Science, Carnegie-Mellon University, Ph.D. Thesis, 1980.
- [327] C. D. Thompson, “Fourier Transforms in VLSI,” *IEEE Trans. Computers* C-32 (1983), 1047–1057.
- [328] C. D. Thompson, “The VLSI Complexity of Sorting,” *IEEE Trans. Computers* C-32 (1983), 1171–1184.
- [329] J. Tiekenherinrich, “A $4n$ Lower Bound on the Monotone Network Complexity of a One-Output Boolean Function,” *Inf. Proc. Letters* 18 (1984), 201–202.
- [330] M. Tompa, “Time-Space Tradeoffs for Computing Functions, Using Connectivity Properties of Their Circuits,” *J. Comp. Systems Sci.* 20 (1980), 118–132.
- [331] M. Tompa, “Corrigendum: Time-Space Tradeoffs for Computing Functions, Using Connectivity Properties of Their Circuits,” *J. Comput. System Sci.* 23 (1981), 106.
- [332] M. Tompa, “Two Familiar Transitive Closure Algorithms Which Admit No Polynomial Time, Sublinear Space Implementations,” *SIAM J. Comput.* 11 (1982), 130–137.
- [333] B. A. Trakhtenbrot, “Turing Computations with Logarithmic Delays,” *Algebra i Logika* 3 (1964), 33–48.
- [334] B. A. Trakhtenbrot, “A Survey of Russian Approaches to Perebor (Brute-Force Search) Algorithms,” *Ann. Hist. of Comput.* 6 (1984), 384–400.
- [335] G. Turán, “Lower Bounds for Synchronous Circuits and Planar Circuits,” *Info. Processing Letters* 30 (1989), 37–40.
- [336] G. Turán, “On restricted Boolean circuits,” in *Proceedings of the International Conference on Fundamentals of Computation Theory*, J. Csirik, J. Demetrovics and F. Gécseg, eds., Springer, Lecture Notes in Computer Science, 380, New York, 1989, 460–469.
- [337] A. M. Turing, “On Computable Numbers with an Application to the Entscheidungsproblem,” *Proc. London Math. Soc.* 42 (1936), 230–265, Correction in Vol. 43, pp. 544–546.
- [338] J. D. Ullman, *Computational Aspects of VLSI*, Computer Science Press, Rockville, MD, 1984.
- [339] E. Upfal, “A Probabilistic Relation Between Desirable and Feasible Models of Parallel Computation,” *Proc. 16th Ann. ACM Symp. Theory of Computing* (1984), 258–265.
- [340] E. Upfal and A. Wigderson, “How to Share Memory in a Distributed System,” *JACM* 34 (1987), 116–127.
- [341] L. G. Valiant, “General Context-Free Recognition in Less Than Cubic Time,” *J. Comp. Systems Sci.* 10 (1975), 308–315.
- [342] L. G. Valiant, “Graph-Theoretic Properties in Computational Complexity,” *J. Comp. Systems Sci.* 13 (1976), 278–285.

- [343] L. G. Valiant, "Completeness Classes in Algebra," *Proc. 11th Ann. ACM Symp. Theory of Computing* (1979), 249–261.
- [344] L. G. Valiant, "Reducibility by Algebraic Projections," *L'Enseignement Math.* XXVIII (1982), 253–268.
- [345] L. G. Valiant, "Short Monotone Formulae for the Majority Function," *J. Algorithms* 5 (1984), 363–366.
- [346] L. G. Valiant, "Negation is Powerless for Slice Functions," *SIAM J. Comput.* 15 (1986), 531–535.
- [347] L. G. Valiant, "A Bridging Model for Parallel Computation," *Comm. ACM* 33 (1990), 103–111.
- [348] P. van Emde Boas and J. van Leeuwen, "Move Rules and Trade-Offs in the Pebble Game," Vakgroep Informatica, Univ. Utrecht, Report RUU-CS-78-4, Utrecht, Netherlands, 1978.
- [349] P. van Emde Boas, "Machine Models and Simulations," in *Handbook of Theoretical Computer Science, Vol. A*, J. van Leeuwen, ed., Elsevier, Amsterdam, NY, Oxford, Tokyo; MIT Press, Cambridge, MA, 1990, 2–66.
- [350] C. C. Van Voorhis, "An Improved Lower Bound for Sorting Networks," *IEEE Trans. Computers* C-21 (1972), 612–613.
- [351] H. Venkateswaran and M. Tompa, "A New Pebble Game That Characterizes Parallel Complexity Classes," *SIAM J. Comput.* 18 (1989), 53–549.
- [352] U. Vishkin, "Implementation of Simultaneous Memory Address Access in Models That Forbid It," *J. Algorithms* 4 (1983), 45–50.
- [353] J. S. Vitter and E. A. M. Shriver, "Optimal Disk I/O with Parallel Block Transfer," *Proc. 22nd Ann. ACM Symp. Theory of Computing* (1990), 159–169.
- [354] J. Vuillemin, "A Combinatorial Limit to the Computing Power of VLSI Circuits," *Proc. 21st Ann. IEEE Symp. Foundations of Computer Science* (Oct. 13–15, 1980), 294–300.
- [355] C. S. Wallace, "A Suggestion for a Fast Multiplier," *IEEE Trans. Computers* EC-13 (1964), 14–17.
- [356] I. Wegener, "Boolean Functions Whose Monotone Complexity Is of Size $n^2 / \log n$," *Theoret. Comp. Sci.* 21 (1982), 213–224.
- [357] I. Wegener, "On the Complexity of Slice Functions," *Theoret. Comp. Sci.* 38 (1985), 55–68.
- [358] I. Wegener, "Relating Monotone Formula Size and Monotone Depth of Boolean Functions," *Inf. Proc. Letters* 16 (1983), 41–42.
- [359] I. Wegener, *The Complexity of Boolean Functions*, Wiley-Teubner, Stuttgart and New York, 1987.
- [360] J. Weiss, "An $n^{3/2}$ Lower Bound on the Monotone Network Complexity of the Boolean Convolution," *Info. and Control* 59 (1983), 184–188.
- [361] J. R. Wicks, *Linear Algebra: An Interactive Laboratory Approach with Mathematica*, Addison Wesley Longman, Reading, MA, 1996.
- [362] R. Wilber, "White Pebbles Help," *J. Comp. Systems Sci.* 36 (1988), 108–124.
- [363] S. Winograd, "On the Algebraic Complexity of Functions," *Actes Congrès Int. Math.* 3 (1970), 283–288.
- [364] M. Wloka, "Parallel VLSI Synthesis," Dept. of Computer Science, Brown University, CS-91-35, 1991.
- [365] A. C-C. Yao, "Some Complexity Questions Related to Distributive Computing," *Proc. 11th Ann. ACM Symp. Theory of Computing* (1979), 209–213.
- [366] A. C-C. Yao, "The Entropic Limitations on VLSI Computations," *Proc. 13th Ann. ACM Symp. Theory of Computing* (1981), 308–311.

- [367] A. C-C. Yao, “Separating the Polynomial-Time Hierarchy by Oracles,” *Proc. 26th Ann. IEEE Symp. Foundations of Computer Science* (1985), 1–10.
- [368] A. C-C. Yao, “Near-Optimal Time-Space Tradeoff for Element Distinctness,” *Proc. 29st Ann. IEEE Symp. Foundations of Computer Science* (1988), 91–97.
- [369] Y. Yesha, “Time-Space Tradeoffs for Matrix Multiplication and the Discrete Fourier Transform on Any General Sequential Random-Access Computer,” *J. Comp. Systems Sci.* 29 (1984), 183–197.
- [370] D. H. Younger, “Recognition and Parsing of Context-Free Languages in Time n^3 ,” *Info. and Control* 10 (1967), 189–208.
- [371] D. Zhou, F. P. Preparata, and S. M. Khang, “Interconnection Delay in Very High-Speed VLSI,” *IEEE Trans. Circuits and Systems* 38 (1991), 779–790.
- [372] U. Zwick, “Optimizing Nečiporuk’s Theorem,” Dept. Computer Science, Tel Aviv Univ., Tech. Report 86/1987, 1987.
- [373] U. Zwick, “A $4n$ Lower Bound on the Combinational Complexity of Certain Symmetric Boolean Functions over the Basis of Unated Dyadic Boolean Functions,” *SIAM J. Comput.* 20 (1991), 499–505.